	TINTED VEHICLE WINDOWS AMENDMENTS
	2022 GENERAL SESSION
	STATE OF UTAH
	Chief Sponsor: Daniel McCay
	House Sponsor: Walt Brooks
	LONG TITLE
(General Description:
	This bill amends the allowable window tint on motor vehicle windows.
F	Highlighted Provisions:
	This bill:
	 amends the allowable window tint on motor vehicle windows.
Ν	Money Appropriated in this Bill:
	None
(Other Special Clauses:
	None
Į	Utah Code Sections Affected:
	AMENDS:
	41-6a-1635, as last amended by Laws of Utah 2021, Chapter 99
	Be it enacted by the Legislature of the state of Utah:
	Section 1. Section 41-6a-1635 is amended to read:
	41-6a-1635. Windshields and windows Tinting Obstructions reducing
,	visibility Wipers Prohibitions.
	(1) Except as provided in Subsections (2), (3), and (4) a person may not operate a
1	motor vehicle with:
	(a) a windshield that allows less than 70% light transmittance;



28	(b) a front side window that allows less than $[43\%]$ $\hat{S} \rightarrow [25\%]$ 35% $\leftarrow \hat{S}$ light
28a	transmittance $\hat{S} \rightarrow$, with no more than a 5% variance observed by a peace officer metering the
28b	<u>light transmittance</u> $\leftarrow \hat{S}$;
29	(c) any windshield or window that is composed of, covered by, or treated with any
30	material or component that presents a metallic or mirrored appearance;
31	(d) any sign, poster, or other nontransparent material on the windshield or side
32	windows of the motor vehicle except:
33	(i) a certificate or other paper required to be so displayed by law; or
34	(ii) the vehicle's identification number displayed or etched in accordance with rules
35	made by the department under Section 41-6a-1601; or
36	(e) any debris, frost, or other substance that materially obstructs the operator's view.
37	(2) (a) A person may not operate a motor vehicle with an object or device hanging or
38	mounted in a manner that materially obstructs the operator's view.
39	(b) A person shall ensure that an object or device hanging or mounted in compliance
40	with Subsection (2)(a) is used in accordance with this chapter.
41	(3) Nontransparent materials may be used:
42	(a) along the top edge of the windshield if the materials do not extend downward more
43	than four inches from the top edge of the windshield or beyond the AS-1 line whichever is
44	lowest;
45	(b) in the lower left-hand corner of the windshield provided they do not extend more
46	than three inches to the right of the left edge or more than four inches above the bottom edge of
47	the windshield; or
48	(c) on the rear windows including rear side windows located behind the vehicle
49	operator.
50	(4) A windshield or other window is considered to comply with the requirements of
51	Subsection (1) if the windshield or other window meets the federal statutes and regulations for
52	motor vehicle window composition, covering, light transmittance, and treatment.
53	(5) Except for material used on the windshield in compliance with Subsections (3)(a)
54	and (b), a motor vehicle with tinting or nontransparent material on any window shall be
55	equipped with rear-view mirrors mounted on the left side and on the right side of the motor
56	vehicle to reflect to the driver a view of the highway to the rear of the motor vehicle.
57	(6) (a) (i) The windshield on a motor vehicle shall be equipped with a device for
58	cleaning rain, snow, or other moisture from the windshield.

01-28-22 3:53 PM S.B. 149

59	(11) The device shall be constructed to be operated by the operator of the motor vehicle
60	(b) A windshield wiper on a motor vehicle shall be maintained in good working order.
51	(7) A person may not have for sale, sell, offer for sale, install, cover, or treat a
52	windshield or window in violation of this section.
63	(8) Notwithstanding this section, any person subject to the federal Motor Vehicle
54	Safety Standards, including motor vehicle manufacturers, distributors, dealers, importers, and
55	repair businesses, shall comply with the federal standards on motor vehicle window tinting.

66